



# OmniAire 2200C

## HEPA Air Filtration Machine

### ORDERING INFO

OmniAire 2200C  
 OmniAire 2200C 230 VAC  
 Primary/Secondary Two-Stage Filters (box of 20)  
 HEPA Filter 99.99%, 0.3µ (metal frame)  
 HEPA FILTER 99.97%, 0.3µ (pb frame)  
 Bag Filter Housing (includes 1 Bag Filter)  
 Bag Filter MERV 15  
 Vapor Trap V-bank Filter  
 OdorGuard 600 Carbon Filter  
 ABS Plastic Intake Manifold, 12" Dia.  
 Quick Clamp, 12"-16" Dia.  
 Flexible Duct, 12" Dia. x 25' L  
 Flexible Duct, Wire & Fiber Reinforced

### PART NUMBER

OA2200C  
 OA2200C230  
 OFP2424  
 OAH2424G  
 OAH2424L  
 HBF2200  
 OBF10  
 OCVT2424  
 OG2424D  
 OAIM2200-12  
 QCW14  
 OAD12  
 OAD12R



CONFORMS TO UL STD 507  
 CERTIFIED TO CAN/CSA STD  
 C22.2 NO. 113-M1984

OmniAire 2200C is a construction grade negative air machine with two speeds, powerful blower and full size, 12" deep HEPA filter. This is a well-constructed and reliable air scrubber with many accessories to remove airborne particulates and bio-contaminants. The 2200C is used to create positive or negative pressure at asbestos, lead and mold abatement projects. For collection of construction dust from cutting or grinding of concrete, wood or plaster, the HEPA filter can be replaced with an economical multi-pocket bag filter. For VOCs and odor control, VaporTrap or OdorGuard activated carbon filters can be quickly installed.

### OmniAire 2200C

<b>Airflow*</b>	1000/2000 CFM
<b>Power Requirements</b>	115 VAC/60 Hz/11.1 Amp
<b>Motor</b>	1.25 HP with thermal overload
<b>Controls</b>	HIGH/OFF/LOW speed switch; amber change filter indicator light; red power indicator light
<b>Filtration</b>	HEPA 99.97%, 0.3 µ filter; MERV 9 primary/secondary filter Optional: OdorGuard 600 activated carbon filter; VaporTrap V-Bank 36 lbs; HEPA 99.99%, 0.3 µ filter 8-pocket bag filter MERV 15
<b>Housing</b>	galvanized metal, silicone sealed before riveting; 12" outlet; (4) rubber grip handles; (2) 5" hospital grade locking casters, (2) 5' rigid hospital grade casters
<b>Size/Weight</b>	28"W x 32"H x 35"L, 152 lbs.

\*Airflows based on blower manufacturer curves. Different filters may cause the flow to vary.