



OMNIAIRE 1200V

HEPA Air Filtration Machine



UL 507:1997/R:2017-01
CAN/CSA-C22.2 No. 113-15

ORDERING INFO

OmniAire 1200V	OAI200V
Primary/Secondary Two-Stage Filters (box of 20)	OAP1818
HEPA Filter 99.99%, 0.3μ (metal frame)	OAH1616G
HEPA FILTER 99.97%, 0.3μ (pb frame)	OAH1616
OdorGuard 600 Carbon Filter	OG1616
ABS Plastic Intake Manifold, 10" Dia.	OAIM1200P
Quick Clamp, 8"-10" Dia.	QCW12
Flexible Duct, 10" Dia. x 25' L	QCW12
Flexible Duct, Wire & Fiber Reinforced	OADIOR

PART NUMBER

OmniAire 1200V is an extremely versatile, high performing medium sized HEPA air scrubber. It is used for removal of toxic mold, asbestos and lead dust during renovation and abatement projects, and for purifying air in commercial or factory sites and medical facilities. The 1200V's upright housing with large 10" wheels for stair climbing makes it easy to transport and setup. This variable speed machine can operate in horizontal or vertical position and meet the needs of your large or small projects. Additional accessories include intake manifold, flex ducting and quick clamps.

OmniAire 1200V

Airflow*	150-1100 CFM
Power Requirements	115VAC/60 Hz/6.1 Amp
Motor	1 HP with thermal overload
Controls	speed switch - HIGH/OFF/Speed Control; variable speed controller; amber change filter light; red indicator light
Filtration	HEPA filter 99.97% @ 0.3μ; MERV 9 primary/secondary filter Optional: OdorGuard 600 activated carbon web filter; HEPA filter 99.99% @ 0.3μ
Housing	aircraft grade aluminum; silicone sealed before riveting; 10" outlet; (1) molded polyurethane handle; (2) 3" hospital grade locking casters; (2) 10" non-marking wheels
Size/Weight	24"W x 39"H x 26"L; 111 lbs.

*Airflows based on blower manufacturer curves. Different filters may cause the flow to vary.